



barrierView app guide

For barrierView 3.3.0. Seven short sections: about 2 minutes in all.




1.1 Scan for the controller

Switch the Bluetooth controller on, open barrierView and tap Scan and Connect.




1.2 Tap it in the list

The scan takes up to 10 seconds. Tap your bluetoothController; Rescan looks again.




1.3 Connected

The button turns blue. Under it, the phone's signal to the controller and the controller's battery.




1.4 The barriers report in

A tile appears for each barrier the next time it reports to the controller.




2.1 The colour is the barrier's position


Green: down. Red: up, or not known. Amber: the barrier has just received a command.



2.2 Signal and batteries


Under the name: the barrier's radio signal, then the battery of each of its two controllers.






2.3 The bar counts down


It shortens while the barrier is quiet, and fills again each time the barrier reports.






3.1 Tap the down arrow


The down arrow lowers the barrier; the up arrow raises it.






3.2 Amber: the barrier has it


The tile turns amber when the barrier answers. The arrows rest for about 3 seconds after a command.






3.3 Green: down


About 20 seconds later the barrier reports it is down, and the tile turns green.






3.4 Raising works the same way


Tap the up arrow: amber when the barrier has the command, red once it is up.






4.1 No Signal

A barrier that stops reporting empties its bar and says No Signal. The alert sound is in Settings.




4.2 Tap ? for the causes

How long it has been quiet, and what to check. It clears itself when the barrier reports again.




5.1 Settings

Turn on the No Signal alert sound, keep the screen on, and choose the barriers the Barriers tab shows.




5.2 Disconnect

On the Barriers tab, tap the blue button. It reads Scan and Connect again.




6.1 Scan and Set

With the link down, the Settings tab's button reads Scan and Set: it sets a unit's role and SID.




6.2 Pick the unit

It lists the units whose switches are in the APP position. Tap the one to set.




6.3 Choose its role and SID, then Set

The unit restarts a couple of seconds later, as what you set.




6.4 Back as what you set

Scan and Set checks that the unit comes back as what you set. The arrow closes it.



7.1 The Guides tab

The guides are part of the app, so they work with no signal. Tap one to open it.



7.2 One step at a time

Swipe, or tap Next and Previous; Sections jumps to a part. A guide reopens where you left it.